




Hardware Catalog

OUR PARTNERS





Alarm.com delivers innovative, smart technology solutions that provide better security, convenience and control for your residential and business customers.

Our commitment to technology leadership gives our Partners an edge for success with first-to-market services that open new opportunities for growth and high-value account creation. With an industry-leading range of panels, and a large and rapidly growing ecosystem of devices, Alarm.com helps you deliver the right solution to match any customer need.

RECENT AWARDS



Smart Security

LTE COMPATIBLE PANELS

Alarm.com partners with best-in-class security panel providers to seamlessly integrate with our solutions. Most compatible panels support Dual-Path and offer cutting-edge LTE network options.



2GIG EDGE



2GIG GC2



2GIG GC2e
Dual-path not supported



2GIG GC3



2GIG GC3e



DSC Impassa



DSC PowerSeries Neo



DSC PowerSeries Pro



Interlogix Concord 4



Interlogix Simon XT



Interlogix Simon XTi-5i



Interlogix NetworX (NX)



Golsys IQ Panel 2



SYSTEM ENHANCEMENT MODULE (SEM)

ADC-SEM210-PS, ADC-SEM300-VT

The SEM, now with dual-path and LTE support, is the easiest and most cost-effective solution to upgrade compatible Honeywell Vista and DSC PowerSeries panels without replacing the existing hardware.

◆ Multi-partition support

◇ Ideal for commercial properties

Sensors

Sensors are the key to gathering the data needed to successfully automate smart homes and businesses. Compatible sensor types vary by panel, but Alarm.com powered systems can integrate numerous types of sensors, including:

Fire | Smoke | Water | Carbon Monoxide | Window | Door | Motion | Glass Break



IMAGE SENSOR

(ADC-IS-300-LP) Use ADC-IS-220-GC for 2G/GC2

This completely wireless, image-capturing motion sensor provides an easy, affordable view into a home or business. Our third-generation Image Sensor features higher image quality, longer battery life and animated in-app images.



FLEX IO™ and FLEX Gate Control

(ADC-FLEX-100)

The next-generation Flex IO sensor is designed for monitoring property and assets anywhere there's LTE cellular coverage—panel or Wi-Fi **not** required. From the backyard to the other side of the country, our durable, battery-powered sensor provides real-time alerts so users can keep an eye on what matters most.



CAR CONNECTOR

(ADC-303SL)

Extend smart security beyond the home with Connected Car, an intelligent sensor that allows customers to track their vehicle's location, view engine status and analyze fuel efficiency right from the Alarm.com mobile app. Real-time driver safety alerts, diagnostic alerts and trip information offer customers peace of mind and 24/7 awareness.

Alarm.com Flex IO™
(ADC-FLEX-100)



Video Cameras & Equipment

Our line of HD, infrared night vision cameras includes indoor, outdoor and commercial-grade cameras controlled through the Alarm.com app. Advanced video analytics ensure customers can also use compatible cameras to receive insightful, intelligent video notifications that can detect people, vehicles and animals.

HD CAMERAS



Indoor 1080p Wi-Fi Camera with HDR
(ADC-V523)



Indoor 1080p Wi-Fi Camera with Two-Way Audio
(ADC-V515)



180° HD Camera with Enhanced Zoom
and Two-Way Audio
(ADC-V622)

ONBOARD RECORDING

Onboard Recording stores video locally at the camera using an SD card. Your customers can use Smart View to see that footage anytime using the Customer Website or app.

◆ Onboard Recording supported cameras



Indoor 1080p Wi-Fi
Camera with HDR
(ADC-V523)



**Video Analytics
Doorbell**
(ADC-VDB770)



Outdoor 1080p Wi-Fi Camera with HDR
(ADC-V723)



Outdoor 1080p Wi-Fi Camera with Two-Way Audio
(ADC-V724)



Video Analytics Doorbell
White, Bronze, or Silver
(ADC-VDB770, ADC-VDB770-BZ, or ADC-VDB770-S)



**Alarm.com Wi-Fi
Doorbell Camera**
Satin Nickel or Bronze
(ADC-VDB101 or 102)



**Alarm.com Slim Line II
Doorbell Camera**
Satin Nickel or Bronze
(ADC-VDB105X or 106X)

COMMERCIAL-GRADE HD CAMERAS



Pro Series 4MP Bullet PoE Camera with Varifocal Lens
(ADC-VC728PF)



Pro Series 4MP Turret PoE Camera with Varifocal Lens
(ADC-VC838PF)



Indoor/Outdoor PoE
1080p Bullet Camera
(ADC-VC736)



Indoor/Outdoor PoE
1080p Dome Camera
(ADC-VC826)



Indoor/Outdoor PoE
1080p Turret Camera
(ADC-VC836)



Pro Series
1080p Dome
PoE Camera
(ADC-VC827P)



Indoor/Outdoor PoE
1080p Mini Bullet
Camera
(ADC-VC726)



Pro Series 1080p Dome
PoE Camera with
Varifocal Lens
(ADC-VC847PF)

ONBOARD RECORDING

Onboard Recording stores video locally at the camera using an SD card. Your customers can use Smart View to see that footage anytime using the Customer Website or app.

◆ Onboard Recording supported cameras

● White and gray finishes available

LOCAL RECORDING



Commercial-Grade Stream Video Recorder

2 TB, 6 TB or 12 TB
(ADC-CSVR126)



Pro Series Commercial Stream Video Recorder

(ADC-CSVR2000P,
ADC-CSVR2008P,
ADC-CSVR2016P)

WI-FI BRIDGE



PoE to Wi-Fi Bridge (ADC-W110)

ACCESS POINT



Alarm.com Smart Gateway (ADC-SG130)

VIDEO SERVER



HD Video Server (ADC-VS123)



OPENEYE – THE CLOUD VIDEO PLATFORM

Interested in supporting larger commercial video applications with more than 40 cameras? Alarm.com's OpenEye platform for cloud managed video surveillance is available for larger commercial installations that need more specialized camera options. Visit openeye.net for more information.




Indoor/Outdoor PoE 1080p Dome Camera (ADC-VC826)

Energy Management

THERMOSTATS



Alarm.com Smart Thermostat
(ADC-T2000)



Alarm.com Smart Thermostat
(ADC-T3000)



**2GIG Z-Wave Plus™
Battery Powered
Thermostat**
(2GIG-STZ-1)



**Alarm.com
Temperature Sensor**
(ADC-S2000-T-RB)



ecobee Thermostats
SmartThermostat,
ecobee4, ecobee3 lite



Lennox iComfort
(E30, M30 and S30)



Linear Thermostat
(GC-TBZ48)



**LUX KONOzw Z-Wave
Smart Thermostat**
(KN-ZW-WH1-B04)



Radio Thermostat
(CT110) Z-Wave FW v10.6+
with Thermostat FW v01.01+



Radio Thermostat
(CT32) Z-Wave FW v10.6+
with Thermostat FW v01.02+



Stelpro Thermostat
(STZW402) Version 01.06+



**Trane Z-Wave
Thermostat**
(TZEMT400AB32MAA)



**Z-Wave Communicating
Thermostat**
(TBZ48D and TZ45D)



Alarm.com Smart Thermostat
(ADC-T2000)

ENERGY MONITORING DEVICES

Install power modules and clamps that can manage, monitor and automate every appliance and track the energy footprint of the entire home or business.



Aeotec Smart Energy Meter 2nd Edition
(Z-DSB28-ZWUS)



Aeotec Z-Wave Heavy Duty Smart Switch
(ZW078)

Z-WAVE REPEATERS



Aeotec
(DSD37-ZWUS)



Aeotec Range Extender 6
(ZW117)



SOLAR INTEGRATIONS

Alarm.com is compatible with SolarEdge and Enphase inverters to monitor energy consumption and solar production.

Light & Appliance Control



Jasco

Plug-In Smart Dimmer
(28166 & 28170)

Plug-In Smart Switch
(28168 & 28172)



GE / Jasco

Outdoor Plug-In Smart
Switch (14284/14311)



GoControl

Plug-In for Appliances with
Night Light (PS15EMZ5-1)

Plug-In for Lamps with
Night Light (PD300EMZ5-1)



Leviton

Plug-in Outlet
with Z-Wave (DZPA1)

Plug-in Dimmer
with Z-Wave (DZPD3)



Hank

Multi-color Bulb
(HKZW-RGB01)



Inovelli

Z-Wave Base RGBW
Color Lightbulb
(HKZW-RGB01)



Jasco

Enbrighten Smart
LED Bulb (52190)



Qolsys

IQ Light Bulb
(QZ2110-840)



Deako

Smart Scene Controller Dimmer
(DS-CDMB-WHWH-UCX)



Deako

Smart Scene Controller Switch
(DS-CSMB-WHWH-UCX)



Deako

Smart Switch
(DS-CSMM-WHMC-UCX)



Eaton

Wireless Switch (RF9601D)
Wireless Accessory Switch
(RF9617D)



Eaton

Universal Smart Dimmer
(RF9640-ND)

Smart Accessory Dimmer
(RF9642-ZD)



GE / Jasco

On/Off Switch (46201/46562)
Dimmer Switch (46203/46564)



GE / Jasco

Switch Toggle (46202/46563)
Dimmer Toggle (46204/46565)



Inovelli

Z-Wave On/Off Smart
Switch Paddle
Black Series (LZW30)
Red Series w/Scenes (LZW30-SN)

Z-Wave Dimmer Smart
Switch Paddle
Black Series (LZW31)
Red Series w/Scenes (LZW31-SN)



Leviton

Switch with Z-Wave (DZ15S)
Dimmer with Z-Wave (DZ6HD)



Linear

Z-Wave Wall Switch
(WS15Z5-1)
Z-Wave Wall Dimmer
(WD500Z5-1)

◆ Panel must support Z-Wave S2 security protocol.



Eaton

Duplex Receptacle
(RFTR9605-T)



Qolsys

IQ Dimmer (QZ2140-840)



GE

In-Wall Smart Outlet (14315)



Qolsys

IQ Outlet (QZ2130-840)



Linear

Z-Wave Single Wall Outlet
(WO15Z-1)



Schneider Electric

SmartStart Light Switch
(SQ14102WHZ)



LUTRON® HOME SYSTEMS

The Alarm.com platform is compatible with many Lutron devices, including those for RadioRA® 2, RA2 Select, Caséta™ Wireless and HomeWorks QS®.



Dimmers & Switches



Wireless Controls



Shades



Appliance Modules



Locks

DEADBOLT LOCKS



Kwikset 888 Touchpad



Kwikset 910 Touchpad
(Z-Wave & Z-Wave Plus)



Kwikset 914 Touchpad
(Z-Wave & Z-Wave Plus)



Kwikset 916 Touchscreen
(Z-Wave & Z-Wave Plus)



Kwikset Obsidian
(Z-Wave Plus Version)



Schlage BE468ZP



Schlage BE469ZP



Yale SL Key Free Touchscreen
(YRD256)



Yale Key Free Touchscreen
(YRD156)



Yale Touchscreen
(YRD226)



Yale Push Button
(YRD216)



Yale Real Living B1L Push Button



LEVER LOCKS



**Kwikset 912
Touchpad Lever**
(Z-Wave & Z-Wave Plus)



**Yale Lever Key Free
Touchscreen**
(YRL256)



**Yale Lever Key Free
Push Button**
(YRL236)



Yale Lever Push Button
(YRL216)



**Yale Interconnected Push
Button and Touchscreens**
(Z-Wave: YRC216,
YRC226, YRC256)

RETROFIT & WEDGE LOCKS



Yale Lever Touchscreen
(YRL226)



Yale Assure Lock
Andersen Patio and Entry
Doors (YRM276 Z-Wave)



Kwikset Convert
(Z-Wave Version)



Danalock V3
(Z-Wave Version)



HAVEN Connect
HAVEN Connect

COMMERCIAL LOCKS



**Yale NexTouch
Commercial Grade**
(NTB610, NTB620)



**Yale nexTouch Sectional
Mortise Commercial Lock**
Touchscreen (NTM625-ZW2)



**Yale nexTouch Sectional
Mortise Commercial Lock**
Push Button (NTM615-ZW2)

Garage Door Control



Genie
Aladdin Connect



Overhead Door
OHD Anywhere



LiftMaster MyQ®
Control Panel
(889LM)



LiftMaster MyQ®
Gateway
(828LM)



LiftMaster MyQ®
Smart Garage Hub
(821LMB)




Linear Z-Wave
Garage Controller
(GD00Z-8-GC)




Access Control


MERCURY SERIES



LP1501 PoE Door Controller
(ADC-AC-LP1501)



LP1502 Door Controller
(ADC-AC-LP1502)



Single Reader Expansion Module
(ADC-AC-MR50)



Two Reader Expansion Module
(ADC-AC-MR52)



LP1501 PoE Door Controller & Power Kit
(ADC-AC-LP1501-PSE)



LP1502 Door Controller & Power Kit
(ADC-AC-LP1502-PSE)



Empty Enclosure with Mercury Backplate
(ADC-AC-E1M, ADC-AC-E2M, and ADC-AC-E4M)

AERO SERIES



X1100 Two Door Controller
(ADC-AC-X1100)



X100 Two Reader Expansion Module
(ADC-AC-X100)



Two Door Controller & Power Kit
(ADC-AC-X1100-2PSE)



Four Door Controller & Power Kit
(ADC-AC-X1100-4PSE)



Wellness



Alarm.com Wellcam™
(ADC-V622-WELL)



**Stationary
Emergency Button**
(ADC-EPB-BC2.1)



Chair Sensor
(ADC-COS-BC23-GE)
Bed Sensor
(ADC-BOS)



Panic Pendant
(RE103)



**Qolsys
Fall Detection Pendant**
(QS1314-840)



**Numera
Fall Detection Pendant**
(2GIG-F1-345)



Alarm.com Wellcam™
(ADC-V622-WELL)

Audio



**Sonos Wireless
Home Sound System**

Water & Irrigation Management



Smart Water Valve+Meter
(ADC-SWM150)



Alarm.com Smart Water Valve
(ADC-SWV100)



Qolsys IQ Water Valve
(QZ2160-840)



FortrezZ Wireless
Z-Wave Water Valve
(WV-01)



WaterCop Z-Wave
Shutoff Valve



Rain Bird
Irrigation Controller



Rachio Smart
Sprinkler Controller





www.alarm.com | 1-877-389-4033

Copyright © 2000-2021 Alarm.com Incorporated. All rights reserved. Alarm.com and the Alarm.com logo are registered trademarks of Alarm.com Incorporated. Patents protect Alarm.com services and products. One or more of the following patents may apply to Alarm.com services and products: US Patent Nos. 6,400,265; 6,442,241; 6,643,355; 6,661,340; 6,965,313; 6,973,166; 7,113,090; 7,619,512; 7,920,841; 7,920,842; 7,920,843; 8,022,807; 8,140,048; 8,214,494; 8,350,694; 8,350,697; 8,395,494; 8,456,293; 8,467,763; 8,493,202; 8,520,072; 8,525,665; 8,531,294; 8,659,417; 8,675,920; 8,680,982; 8,674,816; 8,675,071; 8,675,066; 8,698,614 B1; and 8,786,425 B1. Other patent applications are pending.

210714